



Introducing The Ultimate and Limited Edition Ohm Walsh 5

We introduced the first Ohm Walsh speaker in 1982, to 17 rave reviews. It was called, "a sonic miracle"¹, "a winner"², and "the best Ohms yet"³. Reviews of 1984's Ohm Walsh 4 made the earlier ones look pale by comparison. Now that we've pushed Ohm Walsh technology to the ultimate in sonic excellence, what will they find to say about the Ohm Walsh 5?

The Ohm Walsh 4 extended down to a gut-wrenching 32 Hz. The 5 will roll your socks down at its 25 Hz bottom. Our phenomenal 4 reached 17,000 Hz, close to the limits of the human ear. The Ohm Walsh 5 ascends to over 25,000 Hz, far beyond human audibility, higher than any state-of-the-art compact disc. In other words, we've added a full extra octave in frequency response. We've also achieved a doubling in the volume at which these speakers can be played, with twice the energy efficiency. All without compromising the incomparable clarity, stereo imaging and realism that are hallmarks of Ohm Walsh technology.

Clearly, at \$4,800 a pair, the ultimate Ohm Walsh 5 is not for everyone. Nor was it designed to be. We will make only 500 systems, each and every one handmade in matched pairs, then individually tested and signed by our Chief of Design.

The Ohm Walsh 5 is designed for that passionate, music-centered audiophile whose life is incomplete without the best sonic reproduction possible. For such a collector, live music is the only standard. For this collector, the Ohm Walsh 5 is the ultimate.

FEATURES

Unique patented design
Largest Ohm Walsh driver

Controlled dispersion
Ferro fluid cooled drivers
Double the sensitivity of the other Ohm Walshes
Lead lined cabinet
Thermo-guard protection
Titanium supertweeter

Gold connectors
5-way input terminals
Monster Cable® wiring
Cabinet mounted on casters
Wide choice of genuine wood finishes

BENEFITS

Full room stereo imaging
Live concert sound levels now available in the home
Flexibility in room placement
1000 watts headroom on CD's
Plays twice as loud with no extra amplifier power
Rock solid deep bass
Protects against long term overloading
Extended high frequency response beyond 25,000 Hz
Perfect electrical connections
Easy connection of exotic cables
Lowest internal power losses
Easy to move the 95 lbs speakers
Compliment your room decor

SPECIFICATIONS

Frequency response	25 Hz to 25,000 Hz at ± 4 dB
Sensitivity	90 dB for 2.83v input
Impedance	4 ohm
Size	17½" x 17½" at bottom tapering to 15" x 15" at top 43" tall
Weight	95 lbs.
Power requirement on music	
Minimum	50 watts
Maximum	500 watts
Headroom on CDs	1000 watts
Genuine wood veneer finished cabinets	Walnut, Oak, Rosewood, Teak, Black and White lacquer

Prices and specifications subject to change without notice.



Ohm Acoustics Corp. 241 Taaffe Place Brooklyn NY 11205 718-783-1111 Toll Free 800-221-6984